


Data sheet Product ICK S 32 x 32 x 10

Heatsinks and active heatsinks for processors>Pin heatsinks
32 x 32 x 10 mm, pin heatsinks quadratic

Features

design:	rectangle
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
width:	32.7 mm
height:	10 mm
plate thickness:	3.5 mm
weight:	14 g
length:	32.7 mm
thermal resistance:	5.4 - 1.75 K/W
dissipation loss:	13.8 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
58511 Lüdenscheid

Telefon +49 2351 435-0
Telefax +49 2351 45754

info@fischerelektronik.de
www.fischerelektronik.de


Data sheet Product ICK S 32 x 32 x 20

Heatsinks and active heatsinks for processors>Pin heatsinks
32 x 32 x 20 mm, pin heatsinks quadratic

Features

design:	rectangle
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
width:	32.7 mm
height:	20 mm
plate thickness:	3.5 mm
weight:	19 g
length:	32.7 mm
thermal resistance:	3.7 - 1 K/W
dissipation loss:	20.4 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
58511 Lüdenscheid

Telefon +49 2351 435-0
Telefax +49 2351 45754

info@fischerelektronik.de
www.fischerelektronik.de