


Data sheet Product ICK S 50 x 50 x 10

Heatsinks and active heatsinks for processors>Pin heatsinks
50 x 50 x 20 mm, pin heatsinks quadratic

Features

design:	rectangle
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
width:	50 mm
height:	10 mm
plate thickness:	3.5 mm
weight:	31.2 g
length:	50 mm
thermal resistance:	2.7 - 0.5 K/W
dissipation loss:	20 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
58511 Lüdenscheid

Telefon +49 2351 435-0
Telefax +49 2351 45754

info@fischerelektronik.de
www.fischerelektronik.de


Data sheet Product ICK S 50 x 50 x 20

Heatsinks and active heatsinks for processors>Pin heatsinks
50 x 50 x 20 mm, pin heatsinks quadratic

Features

design:	rectangle
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
width:	50 mm
height:	20 mm
plate thickness:	3.5 mm
weight:	43 g
length:	50 mm
thermal resistance:	2.7 - 0.5 K/W
dissipation loss:	27.7 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
58511 Lüdenscheid

Telefon +49 2351 435-0
Telefax +49 2351 45754

info@fischerelektronik.de
www.fischerelektronik.de


Data sheet Product ICK S 50 x 50 x 25

Heatsinks and active heatsinks for processors>Pin heatsinks
50 x 50 x 25 mm, pin heatsinks quadratic

Features

design:	rectangle
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
width:	50 mm
height:	25 mm
plate thickness:	3.5 mm
weight:	49 g
length:	50 mm
thermal resistance:	2.4 - 0.5 K/W
dissipation loss:	31.2 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
58511 Lüdenscheid

Telefon +49 2351 435-0
Telefax +49 2351 45754

info@fischerelektronik.de
www.fischerelektronik.de


Data sheet Product ICK S 50 x 50 x 40

Heatsinks and active heatsinks for processors>Pin heatsinks
50 x 50 x 40 mm, pin heatsinks quadratic

Features

design:	rectangle
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
width:	50 mm
height:	40 mm
plate thickness:	3.5 mm
weight:	80.05 g
length:	50 mm
thermal resistance:	6.05 - 0.5 K/W
dissipation loss:	13.5 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
58511 Lüdenscheid

Telefon +49 2351 435-0
Telefax +49 2351 45754

info@fischerelektronik.de
www.fischerelektronik.de

Data sheet Product ICK S 50 x 50 x 50

Heatsinks and active heatsinks for processors>Pin heatsinks
50 x 50 x 50 mm, pin heatsinks quadratic

Features

design:	rectangle
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
width:	50 mm
height:	50 mm
plate thickness:	3.5 mm
weight:	95.51 g
length:	50 mm
thermal resistance:	4.05 - 0.25 K/W
dissipation loss:	14.32 W
surface:	Al-natural

Technical Drawing

