


Data sheet Product ICK S R 40 x 10

Heatsinks and active heatsinks for processors>Pin heatsinks
 Ø 40 x 10 mm, pin heatsinks round

Features

design:	round
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
diameter:	40 mm
height:	10 mm
plate thickness:	3.5 mm
weight:	15.85 g
thermal resistance:	7.1 - 1.3 K/W
dissipation loss:	8.45 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
 DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
 58511 Lüdenscheid

Telefon +49 2351 435-0
 Telefax +49 2351 45754

info@fischerelektronik.de
 www.fischerelektronik.de


Data sheet Product ICK S R 40 x 20

Heatsinks and active heatsinks for processors>Pin heatsinks
 Ø 40 x 20 mm, pin heatsinks round

Features

design:	round
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
diameter:	40 mm
height:	20 mm
plate thickness:	3.5 mm
weight:	21.96 g
thermal resistance:	6.05 - 1.05 K/W
dissipation loss:	9.92 W
surface:	Al-natural

Technical Drawing






Data sheet Product ICK S R 40 x 30

Heatsinks and active heatsinks for processors>Pin heatsinks
 Ø 40 x 30 mm, pin heatsinks round

Features

design:	round
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
diameter:	40 mm
height:	30 mm
plate thickness:	3.5 mm
weight:	29.24 g
thermal resistance:	6.1 - 1.1 K/W
dissipation loss:	9.84 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
 DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
 58511 Lüdenscheid

Telefon +49 2351 435-0
 Telefax +49 2351 45754

info@fischerelektronik.de
 www.fischerelektronik.de




Data sheet Product ICK S R 40 x 50

Heatsinks and active heatsinks for processors>Pin heatsinks
 Ø 32.5 x 50 mm, pin heatsinks round

Features

design:	round
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
diameter:	40 mm
height:	50 mm
plate thickness:	3.5 mm
weight:	48 g
thermal resistance:	4.5 - 0.8 K/W
dissipation loss:	13.33 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
 DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
 58511 Lüdenscheid

Telefon +49 2351 435-0
 Telefax +49 2351 45754

info@fischerelektronik.de
 www.fischerelektronik.de


Data sheet Product ICK S R A 40 x 20

Heatsinks and active heatsinks for processors>Pin heatsinks
 Ø 40 x 20 mm, pin heatsinks round

Features

design:	round
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
diameter:	40 mm
height:	20 mm
plate thickness:	3.5 mm
weight:	22.18 g
thermal resistance:	7.6 - 1.5 K/W
dissipation loss:	7.89 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
 DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
 58511 Lüdenscheid

Telefon +49 2351 435-0
 Telefax +49 2351 45754

info@fischerelektronik.de
 www.fischerelektronik.de