


Data sheet Product ICK S R 50 x 10

Heatsinks and active heatsinks for processors>Pin heatsinks
 Ø 50 x 10 mm, pin heatsinks round

Features

design:	round
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
diameter:	50 mm
height:	10 mm
plate thickness:	3 mm
weight:	22 g
thermal resistance:	6 - 1 K/W
dissipation loss:	10 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
 DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
 58511 Lüdenscheid

Telefon +49 2351 435-0
 Telefax +49 2351 45754

info@fischerelektronik.de
 www.fischerelektronik.de


Data sheet Product ICK S R 50 x 20

Heatsinks and active heatsinks for processors>Pin heatsinks
 Ø 50 x 20 mm, pin heatsinks round

Features

design:	round
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
diameter:	50 mm
height:	20 mm
plate thickness:	3 mm
weight:	34.39 g
thermal resistance:	7 - 1.2 K/W
dissipation loss:	8.57 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
 DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
 58511 Lüdenscheid

Telefon +49 2351 435-0
 Telefax +49 2351 45754

info@fischerelektronik.de
 www.fischerelektronik.de


Data sheet Product ICK S R 50 x 30

Heatsinks and active heatsinks for processors>Pin heatsinks
 Ø 50 x 30 mm, pin heatsinks round

Features

design:	round
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
diameter:	50 mm
height:	30 mm
plate thickness:	3.5 mm
weight:	45.28 g
thermal resistance:	6.1 - 1.1 K/W
dissipation loss:	9.84 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
 DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
 58511 Lüdenscheid

Telefon +49 2351 435-0
 Telefax +49 2351 45754

info@fischerelektronik.de
 www.fischerelektronik.de


Data sheet Product ICK S R 50 x 45

Heatsinks and active heatsinks for processors>Pin heatsinks
 Ø 50 x 45 mm, pin heatsinks round

Features

design:	round
way of fixation:	<ul style="list-style-type: none"> • therm. conductive foil • therm. cond. adhesive
socket:	universal
suitable for processor type:	universal
diameter:	50 mm
height:	45 mm
plate thickness:	3.5 mm
weight:	61.59 g
thermal resistance:	5.1 - 0.9 K/W
dissipation loss:	11.76 W
surface:	Al-natural

Technical Drawing



Fischer Elektronik GmbH & Co. KG
 DEUTSCHLAND • GERMANY • ALLEMAGNE

Nottebohmstraße 28
 58511 Lüdenscheid

Telefon +49 2351 435-0
 Telefax +49 2351 45754

info@fischerelektronik.de
 www.fischerelektronik.de